



G PU 239

Soft Aliphatic Aqueous Polyurethane Micro Binder

Specification

Composition	: Aliphatic PU
Aspect	: Clear translucent Liquid
Solid content	: 14.0 ± 1.0 %
pH of 10 % emulsion	: 7.5 – 9.0
Charge	: Anionic
Film property	: Transparent, Soft and Micro Fine
Solubility	: Water Soluble

Salient feature

- Micro Soft film with excellent elongation
- Excellent adhesion promoter
- Maintains natural look in aniline and semi-aniline finishes
- Easy release on heated plating or embossing
- Control the dye bleeding on suede leather

Mode of application

- **G PU 239** can be used for All base coat / pre-base adhesion coat application
- **G PU 239** can be used in Burnish / Oil Pull up / Crazy Horse finishing as adhesion promoter for subsequent Intermediate / Top coat
- Recommended quantity of **G PU 239** may vary from 50 – 300 parts per litre

Technical suggestions without any obligation